

ABOUT THE PRODUCT

GM soybeans (Glycine Max.), in natura, export standard.

PURPOSES OF USE

GM soybeans can be used in the mechanical crushing or preparation and solvent extraction processes to obtain soybean meal and soybean oil. It can also be used for human consumption and animal feed.

PROCESSING

- Pre-cleaning;
- Drying (when necessary);
- Post-cleaning.

TRADE NAMES

- ▶ Soy;
- ▶ Soybeans;
- ▶ GM Soybeans;
- ▶ Glycine Max.

CHARACTERISTICS

| Description | Ref. Value | Analysis Method |
|-----------------------------------|--|--|
| Oil content | Min. 18.5% with non-reciprocal tolerance of 1% discount for each 1% deficiency, fractions in proportion | AOCS Ac 3-44 |
| Protein content | Min. 34% (dry basis) | AOCS Ba 4d-90 |
| Moisture content | Max. 14% | AOCS Ac 2-41 |
| Foreign matter and impurities | 1% basis; Max. 2% with tolerance of a non-reciprocal 1% discount for each 1% deficiency, fractions in proportion | FOSFA Standard, analyzed according to the IN 11/2007 and IN 37/2007, issued by the Ministry of Agriculture of Brazil |
| Damaged grains | Max. 8%; Not more than 4% of burned and scorched, 1% burnt and 6% moldy | FOSFA Standard, analyzed according to the IN 11/2007 and IN 37/2007, issued by the Ministry of Agriculture of Brazil |
| Broken, cracked or crushed grains | Max. 30% | FOSFA Standard, analyzed according to the IN 11/2007 and IN 37/2007, issued by the Ministry of Agriculture of Brazil |
| Greenish grains | Max. 8% | FOSFA Standard, analyzed according to the IN 11/2007 and IN 37/2007, issued by the Ministry of Agriculture of Brazil |

Free of treated seed or toxic toxic seeds of other species

STORAGE

Store in a ventilated, dry place, out of the reach of light (preferably at or below 25°C).

SUPPLY

- Bulk;
- Polypropylene tote bags;
- Polypropylene bulkliners.

TRANSPORTATION

In bulk or according to packaging specifications.



SEND YOUR QUOTE REQUEST

- ✉ contato@bomm.com.br
- 🌐 www.bomm.com.br
- ☎ +55 (44) 3649 1240
- 📍 Rua Dom Pedro I, n. 1190, Escritório, Centro CEP 85950-000, Palotina, Paraná